


QDF Series Ball Solenoid Reversing Valve


Nominal pressure: 315bar; Applicable medium: hydraulic oil



Nominal Diameter: 6mm

Working voltage: 12V、24V、36V、220V

外形尺寸 Overall Dimension



名称 Name	型号 Model	阀芯机能 Valve Core enginery	机能代号 Enginery code
二位四通 Two-position Four-way	24QDF6K/315E*	常开型 Normal open type	K
	24QDF6B/315E*	常闭型 Normal dose type	B

机能符号 Hydraulic Schematic

24QDF6K/315E* 24QDF6B/315E*



QDF-4 Series Ball Solenoid Reversing Valve

Nominal pressure: 31.5MPa; Applicable medium: hydraulic oil

Product Description

Technical parameters

Nominal pressure: 31.5MPa

Applicable medium: hydraulic oil

Nominal diameter: 6mm


Working voltage: 12V, 24V, 36V, 220V

Technical Specifications

Nominal Pressure: 31.5MPa

Applicable Medium: Hydraulic Oil

Nominal Diameter: 6mm



名称 Name	型号 Model	阀芯机能 Valve Core enginery	机能代号 Enginery code	机能符号 Enginery symbol
二位三通 Two-position Three-way	23QDF6K-4/315E*	常开型 Normal open type	K	
	23QDF6B-4/315E*	常闭型 Normal close type	B	

